

TABLE OF CONTENTS

	<u>Page</u>
FOREWORD	<i>i</i>
EXECUTIVE SUMMARY	ES.1
1. INTRODUCTION	1.1
1.1 Relevance of FA and DDT in Severe Accidents	1.1
1.2 Basic Physical Processes	1.2
1.3 Options for Control of FA and DDT	1.3
1.4 Hydrogen Mitigation	1.4
1.5 References	1.11
2. PROCESSES OF FA AND DDT	2.1
2.1 Introduction	2.1
2.2 Flame and Detonation Propagation Regimes	2.1
2.3 The Effect of Confinement on Flame and Detonation Propagation	2.6
2.4 Mechanisms Involved in FA	2.8
2.5 Mechanisms Involved in DDT	2.14
2.6 Recent Experimental Results	2.16
2.7 Pressure Development and Structural Response	2.17
2.8 Summary	2.23
2.9 References	2.24
3. CRITERIA FOR FA AND DDT LIMITS	3.1
3.1 Introduction	3.1
3.2 Criteria for FA	3.1
3.3 Necessary Criteria for DDT	3.17
3.4 Summary	3.36
3.5 References	3.37
4. DETAILED MODELLING OF FA AND DDT	4.1
4.1 Introduction	4.1
4.2 Turbulent Flow Models	4.3
4.3 Turbulent Combustion Models	4.16
4.4 Chemical Kinetics in Turbulent Combustion	4.34
4.5 Numerical Reactive Flow Solvers	4.37
4.6 Summary	4.68
4.7 References	4.72

continued....

TABLE OF CONTENTS (continued)

	<u>Page</u>
5. EXPERIMENTS AND MODEL VALIDATION	5.1
5.1 Introduction	5.1
5.2 Experiments for Code Validation	5.2
5.3 Model Hierarchies Used in Practical Applications	5.62
5.4 Summary	5.111
5.5 Nomenclature	5.114
5.6 References	5.117
6. APPLICATIONS TO REACTOR CONTAINMENT ANALYSIS	6.1
6.1 Introduction	6.1
6.2 Illustration of Combustion at Reactor-relevant Scale with Lumped-parameter Approach	6.3
6.3 Lumped-parameter Approach	6.6
6.4 Application of FA and DDT Criteria in CFD Calculations	6.14
6.5 References	6.46
7. SUMMARY AND ISSUES	7.1
7.1 Summary	7.1
7.2 Issues	7.7
7.3 Application to Safety Assessments in NPPs	7.10
LIST OF AUTHORS	Annex 1. 1
LIST OF ACRONYMS	Annex 1.2
PHOTOGRAPH OF PARTICIPANTS	Annex 1. 4
APPENDIX A: LAMINAR AND TURBULENT FLAME PROPAGATION IN HYDROGEN-AIR-STEAM MIXTURES	A.1
A.1 Laminar Burning Velocities of Hydrogen-Air and Hydrogen-Air-Steam Mixtures	A.1
A.2 References	A.4
APPENDIX B: LAMINAR AND TURBULENT FLAME PROPAGATION IN HYDROGEN-AIR-CARBON DIOXIDE MIXTURES AND DETONABILITY LIMITS OF HYDROGEN-CONTAINING MIXTURES	B.1
B.1 Laminar and Turbulent Flames in H ₂ -Air-CO ₂ Mixtures	B.1

continued . . .

TABLE OF CONTENTS (concluded)

	<u>Page</u>
B.2 Laminar Premixed Flames	B.1
B.3 Comparison Between Measured and Computed Data on Laminar Burning Velocities	B.1
B.4 Turbulent Flames in H ₂ -Air-CO ₂ Mixtures	B.2
B.5 Flammability Limits of H ₂ -Air-CO ₂ Mixtures	B.3
B.6 Detonability of Hydrogen-containing Mixtures with CO ₂ , H ₂ O, and N ₂ Additives	B.3
B.7 Ignition Limits of H ₂ + Air + CO ₂ and H ₂ + Air + H ₂ O Mixtures by a Hot Gas Jet	B.4
B.8 References	B.5
 APPENDIX C: THE TYPICAL REFLECTORS AND CRITICAL CONDITIONS OF DIFFERENT EXPLOSION PHENOMENA NEAR NON-FLAT REFLECTING SURFACES	 C.1
 APPENDIX D: DETONATION CELL SIZE DATA	 D.1
D.1 Experimental Data	D.1
D.2 Data Interpolation with Analytical Functions	D.8
D.3 Generalization of the Zeldovic-von Neumann-Döring (ZND) Correlation	D.11
D.4 References	D.14
 APPENDIX E: DDT EXPERIMENTS IN SHOCK TUBE AND OBSTACLE ARRAY GEOMETRY	 E.1
E.1 Recent DDT Experiments at FZK	E.1
E.2 References	E.5
 APPENDIX F: AGGREGATION RULES FOR THE DETERMINATION OF CHARACTERISTIC CONTAINMENT SIZE IN A LUMPED-PARAMETER APPROACH	 F.1
F.1 Description of the Rules	F.1
 LIST OF AUTHORS	 Annex 2.1
 LIST OF ACRONYMS	 Annex 2.2

